

## ***SUMMARY OF BASIN CHARACTERISTICS***

<b><i>SBDD Basin Number</i></b>	<b><i>Basin Control Elevation</i></b>	<b><i>Minimum Road Crown 10-Year 3-Day</i></b>	<b><i>Minimum Finished Floor 100-Year 3-Day</i></b>
<b>BASIN S-1</b>	2.50	6.50	8.00
<b>BASIN S-2</b>	2.70	6.00	7.50
<b>BASIN S-3</b>	3.00	6.50	8.00
<b>Lido Isles (See SBDD Facilities Report)</b>	3.50	6.50	8.00
<b>BASIN S-4</b>	3.50	6.00	7.50
<b>BASIN S-5</b>			
<b>Sub-Basin 1 (See SBDD Facilities Report)</b>	4.00	6.00	7.50
<b>Sub-Basin 2 (See SBDD Facilities Report)</b>	4.25	6.50	8.00
<b>Sub-Basin 3 (See SBDD Facilities Report)</b>	4.50	6.50	8.00
<b>BASIN S-6</b>		SEE NOTE 3	
<b>BASIN S-7</b>	2.70	6.00	7.50
<b>BASIN S-8</b>	3.50	6.00	7.50
<b>Ivanhoe (See SBDD Facilities Report)</b>	4.00	6.50	8.00
<b>BASIN S-9</b>	4.00	6.50	8.00
<b>BASIN S-10</b>	4.00	6.50	8.00
<b>BASIN S-11</b>		SEE NOTE 3	
<b>BASIN S-12</b>	3.00	7.00	8.00
<b>BASIN S-13</b>	3.00	6.00	7.50

**NOTES:**

1. All Elevations are in feet NGVD 29. Conversion from NGVD 29 to NAVD 88: NGVD 29 - 1.51' = NAVD 88
2. All information taken from existing South Florida Water Management District Basin Permits.
3. The majority of Basin S-6 and Basin S-11 have been acquired by the SFWMD and set aside as natural preserves; and therefore, no basin information is provided for these basins.